

Used in Lieu of PTO/SB08A/B
(Based on PTO 04-07 version)

| | | | | | |
|--|---|--------------------------|------------------------|------------------------|------------------|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | Complete If Known | | | |
| | | Application Number | 10/825,568-Conf. #9114 | | |
| | | Filing Date | April 14, 2004 | | |
| | | First Named Inventor | Brian T. CHAIT | | |
| | | Art Unit | 1654 | | |
| | | Examiner Name | H. Khanna AIDEET | | |
| Sheet | 1 | of | 1 | Attorney Docket Number | 0112602.00152US3 |

| U.S. PATENT DOCUMENTS | | | | | |
|-----------------------|--------------------------|--|--------------------------------|--|---|
| Examiner Initials* | Cite No. ¹ | Document Number | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
| | | Number-Kind Code ² (if known) | | | |
| | AA* | US-5,800,992 | 09-01-1998 | Fodor et al. | |
| | AB* | US-5,705,610 | 01-06-1998 | Zuckermann et al. | |

| FOREIGN PATENT DOCUMENTS | | | | | | |
|--------------------------|--------------------------|---|---------------------|--|---|----------------|
| Examiner Initials* | Cite No. ¹ | Foreign Patent Document | Publication Date | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear | T ³ |
| | | Country Code ³ -Number ⁴ -Kind Code ⁵ (if known) | MM-DD-YYYY | | | |
| | | | | | | |

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ CITE NO.: Those application(s) which are marked with an single asterisk () next to the Cite No. are not supplied (under 37 CFR 1.98(a)(2)(iii)) because that application was filed after June 30, 2003 or is available in the IFW. ² Applicant's unique citation designation number (optional). ³ See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ⁴ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁵ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁶ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁷ Applicant is to place a check mark here if English language Translation is attached.

| NON PATENT LITERATURE DOCUMENTS | | | |
|---------------------------------|--------------------------|---|----------------|
| Examiner Initials | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ² |
| | CA | DUNAYEVSKIY, et al., "Application of capillary electrophoresis-electrospray ionization mass spectrometry in the determination of molecular diversity", Proc. Natl. Acad. Sci. USA, 93: 6152-6157 (1996) | |

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.

| | | | |
|-----------------------|--|--------------------|-------|
| Examiner Signature | | Date Considered | 12/07 |
|-----------------------|--|--------------------|-------|

6284182

US1DOCS 6284182v1

236189

07/04



| | | |
|---|----------------------|------------------|
| Form PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE LIST OF INFORMATION CITED BY APPLICANT (Use as many sheets as necessary) | Complete if Known | |
| | Application Number | 10/825,568 |
| | Filing Date | April 14, 2004 |
| | First Named Inventor | Chait et al. |
| | Group Art Unit | Unassigned 1654 |
| | Examiner Name | Unassigned Aude7 |

U.S. PATENT DOCUMENTS



| Examiner's Initials | Cite No. | Document No. | Date | Name | Class | Subclass | Filing Date (if appropriate) |
|---------------------|----------|--------------|----------|-----------------|-------|----------|------------------------------|
| | A1 | 2003/0200032 | 03/03/03 | Keating | 702 | 019 | |
| | A2 | 2003/0194717 | 02/13/03 | Schmidt et al. | 435 | 006 | |
| | A3 | 2002/0192720 | 04/04/03 | Mitchell | 175 | 325.5 | |
| | A4 | 2003/0175844 | 12/20/02 | Nadler | 435 | 023 | |
| | A5 | 2003/0124595 | 11/05/02 | Lizardi et al. | 435 | 006 | |
| | A6 | 2002/0106648 | 11/05/02 | Lancinia | 160 | 041 | |
| | A7 | 2003/0045694 | 03/06/03 | Chait et al. | | | |
| | *A8 | 2003/0022225 | 01/30/03 | Monforte et al. | 435 | 6 | |
| | A9 | 2004/0018565 | 07/16/03 | Schmidt et al. | 435 | 007.1 | |
| | *A10 | 4,086,254 | 04/25/78 | Wierenga | | | |
| | *A11 | 4,868,116 | 09/19/89 | Morgan et al. | | | |
| | *A12 | 4,980,286 | 12/25/90 | Morgan et al. | | | |
| | *A13 | 5,429,807 | 07/04/95 | Matson et al. | | | |
| | *A14 | 5,599,695 | 02/04/97 | Pease et al. | | | |
| | *A15 | 5,654,413 | 08/05/97 | Brenner et al. | | | |
| | *A16 | 5,780,232 | 07/14/98 | Arlinghaus | | | |
| | *A17 | 5,871,928 | 02/16/99 | Fodor et al. | | | |
| | *A18 | 6,117,631 | 09/12/00 | Nilsen | | | |
| | *A19 | 6,184,344 | 02/06/01 | Kent et al. | | | |
| | *A20 | 6,203,989 | 03/20/01 | Goldberg et al. | | | |
| | A21 | 6,270,976 | 05/04/00 | Schmidt et al. | 435 | 006 | |
| | A22 | 6,287,780 | 08/11/00 | Schmidt et al. | 435 | 006 | |
| | *A23 | 6,312,893 | 11/06/01 | Van Ness et al. | 435 | 6 | |
| | *A24 | 6,312,904 | 11/06/01 | Schmidt et al. | 435 | 6 | |
| | *A25 | 6,329,180 | 12/11/01 | Garvin | 435 | 91.2 | |
| | *A26 | 6,344,335 | 02/05/02 | Tausk et al. | | | |
| | *A27 | 6,562,567 | 05/13/03 | Wold | 435 | 6 | |
| | A28 | 6,582,916 | 03/16/01 | Schmidt et al. | 435 | 006 | |
| | *A29 | 6,613,508 | 09/02/03 | Ness et al. | 435 | 6 | |
| | A30 | 6,613,511 | 12/29/99 | Schmidt et al. | 435 | 006 | |
| | *A31 | 6,613,523 | 09/02/03 | Fischer | 435 | 6 | |
| | *A32 | 6,629,040 | 09/30/03 | Goodlett et al. | 702 | 23 | |
| | A33 | 6,649,354 | 05/03/00 | Schmidt et al. | 435 | 007.1 | |
| | A34 | 6,699,668 | 11/15/01 | Schmidt et al. | 435 | 006 | |

FOREIGN PATENT DOCUMENTS



| Examiner's Initials | Cite No. | Foreign Patent Document Country Code-Number-Kind Code | Date | Name | Translation Yes/No |
|---------------------|----------|--|----------|--|-----------------------|
| | *A36 | WO 89/007136 | 08/10/89 | Whitehead Institute for Biomedical Research (PCT) | |
| | *A37 | WO 98/028434 | 07/02/98 | The Scripps Research Institute (PCT) | |



| | | | | | |
|---|------|--------------|----------|---|--|
|  | *A38 | WO 900/02806 | 03/22/90 | Whitehead Institute for Biomedical Research (PCT) | |
| | *A39 | WO 970/11958 | 04/03/97 | The Scripps Research Institute (PCT) | |
| | *A40 | WO 98/031830 | 07/23/98 | Brax Genomics Ltd. | |
| | A41 | WO 98/048047 | 10/29/98 | Brax Genomics Limited | |
| | A42 | WO 99/002728 | 01/21/99 | Brax Genomics Limited | |
| | *A43 | WO 99/005319 | 02/04/99 | Tabone et al. | |
| | A44 | WO 99/013103 | 03/18/99 | Brax Genomics Limited | |
| | A45 | WO 99/014362 | 03/25/99 | Brax Genomics Limited | |
| | A46 | WO 99/032501 | 07/01/99 | Brax Group Limited | |
| | A47 | WO 00/002895 | 01/20/00 | Brax Group Limited | |
| | A48 | WO 00/002894 | 01/20/00 | Brax Group Limited | |
| | A49 | WO 00/002893 | 01/20/00 | Brax Group Limited | |
| | *A50 | WO 00/004036 | 01/27/00 | Duke University (PCT) | |
| | *A51 | WO 00/011208 | 03/02/00 | University of Washington | |
| | *A52 | GB 0006141.6 | 03/14/00 | Brax Group Ltd. | |
| | A53 | WO 00/020870 | 04/13/00 | Brax Group Limited | |
| | *A54 | WO 01/068664 | 9/20/01 | Brax Group Limited (PCT) | |
| | A55 | WO 02/014867 | 02/21/02 | Agilix Corporation | |
| | A56 | WO 02/090929 | 11/14/02 | Perseptive Biosystems Inc. | |
| | A57 | WO 02/099435 | 12/12/02 | Xzillion GMBH & Co. KG (PCT) | |
| | A58 | WO 02/099124 | 12/12/02 | Xzillion GMBH & Co. KG (PCT) | |
| | *A59 | WO 03/025576 | 03/27/03 | Xzillion GMBH & Co. KG (PCT) | |
| | A60 | WO 03/075006 | 09/12/03 | Applera Corp | |
|  | A61 | WO 03/078452 | 09/25/03 | Persptive Biosystems Inc. | |
| | A62 | WO 03/104813 | 12/18/03 | Xzillion GMBH & Co. KG | |



NON-PATENT DOCUMENTS

| Examiner's Initials | Cite. No. | Non-PatAnt Citations (include Author, Title, Publisher, Relevant Pages, Date and Place of Publication) |
|---|-----------|---|
|  | *A63 | Alagon <i>et al.</i> Activation of polysacchirides with 2-iminothiolane and its uses. <i>Biochemistry</i> 19:4341-4345 (1980) |
| | *A64 | Alonso <i>et al.</i> Lipid chain dynamics in stratum corneum studied by spin label electron paramagnetic resonance. <i>Chem. Phys. Lipids</i> 104:101-111 (2000) |
| | *A65 | Andresen <i>et al.</i> Medium-chain acyl-CoA dehydrogenase (MCAD) mutations identified by MS/MS-based prospective screening of newborns differ from those observed in patients with clinical symptoms: identification and characterization of a new, prevalent mutation that results in mild MCAD deficiency. <i>Am. J. Hum. Genet.</i> 68:1408-1418 (2001) |
| | *A66 | Annan <i>et al.</i> A multidimensional electrospray MS-based approach to phosphopeptide mapping. <i>Anal. Chem.</i> 73:393-404 (2001) |
| | *A67 | Arora <i>et al.</i> Selectivity of lipid-protein interactions with trysinized Na, K-ATPase studied by spin-label ERP. <i>Biochim. Biophys. Acta.</i> 1371:163-167 (1998) |
| | A68 | Bahr and Karas, Differentiation of 'Isobaric' Peptides and Human Milk Oligosaccharides by Exact Mass Measurements Using Electrospray Ionization Orthogonal Time-of-Flight Analysis, <i>Rapid Comm. in Mass Spectrom.</i> , 13:1052-1058 (1999). |
|  | *A69 | Banerji <i>et al.</i> A Lymphocyte-Specific Cellular Enhancer Is Located Downstream of the Joining Region in Immunoglobulin Heavy Chain Genes. <i>Cell</i> 33:729-740 (1983) |

| | | |
|--|------|--|
| | A70 | Beckedorf <i>et al.</i> Mapping and Sequencing of Cardiolipins from <i>Geobacillus Stearothermophilus</i> NRS 2004/3a by Positive and Negative Ion nanoESI-QTOF-MS and MS/MS, <i>J. Mass Spectrom.</i> 37:1086-1094 (2002) |
| | *A71 | Berkner <i>et al.</i> Abundant Expression of Polyomavirus Middle T Antigen and Dihydrofolate Reductase in an Adenovirus Recombinant. <i>J. Virol.</i> 61:1213-1220 (1987) |
| | *A72 | Birkenmeyer <i>et al.</i> DNA Probe Amplification Methods. <i>J. Virol. Meth.</i> 35:117-126 (1991) |
| | *A73 | Black. Protein diversity from alternative splicing: a challenge for bioinformatics and post-genome biology. <i>Cell</i> 103:367-370 (2000) |
| | A74 | Boismenu <i>et al.</i> Measurement of Sulfate Concentrations and Tracer/Tracee Ratios in Biological Fluids by Electrospray Tandem Mass Spectrometry, <i>Analytical Biochemistry</i> , 261:93-99 (1998). |
| | *A75 | Bout <i>et al.</i> Lung Gene Therapy: <i>In Vivo</i> Adenovirus-Mediated Gene Transfer to Rhesus Monkey Airway Epithelium. <i>Hum. Gene Ther.</i> 5:3-10 (1994) |
| | *A76 | Brdicka <i>et al.</i> Phosphoprotein associated with glycosphingolipid-enriched microdomains (PAG), a novel ubiquitously expressed transmembrane adaptor protein, binds the protein tyrosine kinase csk and is involved in regulation of T cell activation. <i>J. Exp. Med.</i> 191:1591-1604 (2000) |
| | *A77 | Breslauer <i>et al.</i> Predicting DNA duplex stability from the base sequence. <i>Proc. Natl. Acad. Sci. USA</i> 83:3746-3750 (1986) |
| | *A78 | Brizard <i>et al.</i> Immunoaffinity purification of FLAG epitope-tagged bacterial alkaline phosphatase using a novel monoclonal antibody and peptide elution. <i>Biotechnology</i> 16:730-735 (1994) |
| | *A79 | Brown <i>et al.</i> Penetration of Host Cell Membranes by Adenovirus 2. <i>Journal of Virology</i> 12(2):386-396 (1973) |
| | A80 | Butcher, et al., Real-Time Determination of Aromatics in Automobile Exhaust by Single-Photon Ionization Ion Trap Mass Spectrometry, <i>Anal. Chem.</i> 71:489-496 (1999). |
| | *A81 | Caillaud <i>et al.</i> Adenoviral Vector as a Gene Delivery System into Cultured Rat Neuronal and Glial Cells. <i>Eur. J. Neurosci.</i> 5:1287-1291 (1993) |
| | *A82 | Cantrell. Phosphoinositide 3-kinase signalling pathways. <i>J. Cell. Sci.</i> 114:1439-1445 (2001) |
| | A83 | Cárdenas <i>et al.</i> On-Line Derivatization of Peptides for Improved Sequence Analysis by Micro-Column Liquid Chromatography Coupled with Electrospray Ionization-Tandem Mass Spectrometry, <i>Rapid Comm. in Mass Spectrom.</i> , 11:1271-1278 (1997). |
| | A84 | Chakraborty and Regnier, Global Internal Standard Technology for Comparative Proteomics, <i>J. of Chromatography A</i> , 949:173-184 (2002). |
| | *A85 | Chandrasegaran <i>et al.</i> Chimeric restriction enzymes: what is next? <i>Biol. Chem.</i> 380(7-8):841-848 (1999) |
| | *A86 | Chardonnet <i>et al.</i> Early Events in the Interaction of Adenoviruses with HeLa Cells. <i>Virology</i> 40:462-477 (1970) |
| | *A87 | Chatterjee <i>et al.</i> <i>In vivo</i> analysis of nuclear protein traffic in mammalian cells. <i>Exp. Cell. Res.</i> 236(1):346-350 (1997) |
| | *A88 | Chong <i>et al.</i> Utilizing the C-terminal cleavage activity of a protein splicing element to purify recombinant proteins in a single chromatographic step. <i>Nucl. Acids. Res.</i> 26(22):5109-5115 (1998) |
| | *A89 | Cianci <i>et al.</i> Brain and muscle express a unique alternative transcript of all spectrin. <i>Biochemistry</i> 38:15721-15730 (1999) |
| | *A90 | Conrads <i>et al.</i> Utility of Accurate Mass Tags for Proteome-Wide Protein Identification <i>Anal. Chem.</i> 72:3349-3354 (2000) |
| | *A91 | Cowie <i>et al.</i> Biosynthesis by <i>escherichia coli</i> of active altered proteins containing selenium instead of sulfur. <i>Biochimica. Et Biophysica Acta.</i> 26:252-261 (1957) |
| | A92 | Croley and Lynn, Molecular Ion Stabilization for Enhanced Tandem Mass Spectrometry Through Derivatization for Alkylphenols, <i>Rapid Comm. in Mass Spectrom.</i> , 12:171-175 (1998). |
| | *A93 | Davidson <i>et al.</i> Overproduction of Polyomavirus Middle T Antigen in Mammalian Cells through the Use of an Adenovirus Vector. <i>J. Virol.</i> 61:1226-1239 (1987) |
| | *A94 | Dawson <i>et al.</i> Synthesis of Native Proteins by Chemical Ligation. <i>Ann. Rev. Biochem.</i> 69:923-960 (2000) |
| | *A95 | Dawson <i>et al.</i> Synthesis of proteins by native chemical ligation. <i>Science</i> 266:776-779 (1994) |



| | | |
|---|-------|---|
|  | *A96 | DeGnore <i>et al.</i> Fragmentation of phosphopeptides in an ion trap mass spectrometer. <i>J. Am. Soc. Mass Spectrom.</i> 9:1175-1188 (1998) |
| | *A97 | Dervan <i>et al.</i> Sequence-specific DNA recognition by polyamides. <i>Curr. Opin. Chem. Biol.</i> 3(6):688-693 (1999) |
| | *A98 | Dhandayuthapani <i>et al.</i> Green fluorescent protein as a marker for gene expression and cell biology of mycobacterial interactions with macrophages. <i>Mol. Microbiol.</i> 17(5):901-912 (1995) |
| | *A99 | Dikler <i>et al.</i> <i>J. Mass. Spectrom.</i> 32:1337-1349 (1997) |
| | *A100 | Drysdale <i>et al.</i> Complex promoter and coding region β_2 -adrenergic receptor haplotypes alter receptor expression and predict <i>in vivo</i> responsiveness. <i>Proc. Natl. Acad. Sci. USA.</i> 97(19):10483-10488 (2000) |
| | *A101 | Engvall <i>et al.</i> Enzyme-linked immunosorbent assay (ELISA). Quantitative assay of immunoglobulin G. <i>Immunochemistry</i> 8:871-874 (1971) |
| | A102 | Fernandez-de-Crossio, <i>et al.</i> Automated Interpretation of Low-Energy Collision-Induced Dissociation Spectra by SeqMS, a Software Aid for <i>de novo</i> Sequencing by Tandem Mass Spectrometry, <i>Electrophoresis</i> , 21:1694-1699 (2000). |
| | *A103 | Fields <i>et al.</i> A novel genetic system to detect protein-protein interactions. <i>Nature</i> 340:245-246 (1989) |
| | *A104 | Fiers <i>et al.</i> Complete nucleotide sequence of SV40 DNA. <i>Nature</i> 273:113-129 (1978) |
| | A105 | Figeys <i>et al.</i> Protein Identification by Capillary Zone Electrophoresis/Microelectrospray Ionization-Tandem Mass Spectrometry at the Subfemtomole Level, <i>Anal. Chem.</i> 68:1822-1828 (1996). |
| | *A106 | Freier <i>et al.</i> Improved free-energy parameters for predictions of RNA duplex stability. <i>Proc. Natl. Acad. Sci. USA</i> 83:9373-9377 (1986) |
| | *A107 | Gasparro <i>et al.</i> Site-Specific targeting of psoralen photoadducts with a triple helix-forming oligonucleotide: characterization of psoralen monoadduct and crosslink formation. <i>Nucl. Acids Res.</i> 22(14):2845-2852 (1994) |
| | *A108 | Gee <i>et al.</i> Alternative splicing of protein 4.1R exon 16: ordered excision of flanking introns ensures proper splice site choice. <i>Blood</i> 95:692-699 (2000) |
| | *A109 | Geysen <i>et al.</i> , "Isotope or Mass Encoding of Combinatorial Libraries" <i>Chemistry & Biology</i> , Vol. 3, No. 8, 679-688 (1996) |
| | *A110 | Glatthar <i>et al.</i> A New Photocleavable Linker in Solid-Phase Chemistry for Ether Cleavage. <i>Org. Lett.</i> 2(15):2315-2317 (2000) |
| | *A111 | Godi <i>et al.</i> ARF mediates recruitment of PtdIns-4-OH kinase-beta and stimulates synthesis of PtdIns(4,5)P2 on the Golgi complex. <i>Nat. Cell. Biol.</i> 1:280-287 (1999) (Abstract) |
| | *A112 | Gomez-Foix <i>et al.</i> Adenovirus-mediated Transfer of the Muscle Glycogen Phosphorylase Gene into Hepatocytes Confers Altered Regulation of Glycogen Metabolism. <i>J. Biol. Chem.</i> 267(35):25129-25134 (1992) |
| | *A113 | Greenaway <i>et al.</i> Human cytomegalovirus DNA: <i>Bam</i> HI, <i>Eco</i> RI and <i>Pst</i> I restriction endonuclease cleavage maps. <i>Gene</i> 18:355-360 (1982) |
| | *A114 | Griffin <i>et al.</i> Quantitative proteomic analysis using a MALDI quadrupole time-of-flight mass spectrometer. <i>Anal. Chem.</i> 73:978-986 (2001) |
| | *A115 | Groth <i>et al.</i> A phage integrase directs efficient site-specific integration in human cells. <i>Proc. Natl. Acad. Sci. USA</i> 97(11):5995-6000 (2000) |
| | *A116 | Guillier <i>et al.</i> Linkers and Cleavage Strategies in Solid-Phase Organic Synthesis and Combinatorial Chemistry. <i>Chem. Rev.</i> 100:2091-2157 (2000) |
| | *A117 | Guo <i>et al.</i> Direct Fluorescence Analysis of Genetic Polymorphisms by Hybridization with Oligonucleotide Arrays on Glass Supports. <i>Nucl. Acids Res.</i> 22(24):5456-5465 (1994) |
| | *A118 | Guzman <i>et al.</i> Efficient Gene Transfer Into Myocardium by Direct Injection of Adenovirus Vectors. <i>Circul. Res.</i> 73:1202-1207 (1993) |
| | *A119 | Gygi <i>et al.</i> Quantitative analysis of complex protein mixtures using isotope-coded affinity tags. <i>Nat. Biotechnol.</i> 17:994-999 (1999) |
| | *A120 | Hackeng <i>et al.</i> Chemical synthesis and spontaneous folding of a multidomain protein: anticoagulant micropatent S. <i>Proc Natl. Sci. USA</i> 97(26):14074-14078 (2000) |
|  | *A121 | Hage <i>et al.</i> Chromatographic Immunoassays. <i>Anal. Chem.</i> 73(7):198A-205A (2001) |

| | | |
|---|-------|--|
|  | *A122 | Hage. Affinity chromatography: a review of clinical applications. <i>Clin. Chem.</i> 45(5):593-615 (1999) |
| | *A123 | Haj-Ahmad <i>et al.</i> Development of a Helper-Independent Human Adenovirus Vector and Its Use in the Transfer of the Herpes Simplex Virus Thymidine Kinase Gene. <i>J. Virol.</i> 57(1):267-274 (1986) |
| | A124 | Harrison <i>et al.</i> Negative Ion Electrospray and Tandem Mass Spectrometric Analysis of Platelet Activating Factor (PAC) (1-hexadecyl-2-acetyl-glycerophosphocholine), <i>J. Mass Spectrom.</i> 34:330-335 (1999). |
| | *A125 | Harth-Fritschy <i>et al.</i> Esterification of 9-Fluorenylmethoxycarbonyl-glycosylated serine and cysteine derivatives with an hydroxymethyl resin. <i>Pet. Res.</i> 50:415 (1997) |
| | *A126 | Hayes <i>et al.</i> Desorption-ionization mass spectrometry using deposited nanostructured silicon films. <i>Anal. Chem.</i> 73:1292-1295 (2001) |
| | *A127 | Haynes <i>et al.</i> Proteome profiling-pitfalls and progress. <i>Yeast</i> 17(2):81-87 (2000) |
| | *A128 | Hendrickson <i>et al.</i> High sensitivity multianalyte immunoassay using covalent DNA-labeled antibodies and polymerase chain reaction. <i>Nucl. Acids Res.</i> 23(3):522-529 (1995) |
| | *A129 | Hendrickson <i>et al.</i> Selenomethionyl proteins produced for analysis by multiwavelength anomalous diffraction (MAD): a vehicle for direct determination of three-dimensional structure. <i>Embo. J.</i> 9(5):1665-1672 (1990) |
| | *A130 | Hermanson. Bioconjugate techniques, Academic Press, Pp. 528-569 (1996) |
| | A131 | Heydorn <i>et al.</i> The Isobaric Ions $\text{CH}_3\text{O-P=O}^+$ and $\text{CH}_3\text{O-P-NH}_2^+$ and Their Neutral Counterparts: A Tandem Mass Spectrometry and CBS-QB3 Computational Study, <i>Intl. J. of Mass Spectrom.</i> , 225:11-23 (2003). |
| | *A132 | Hobbs <i>et al.</i> Development of a bicistronic vector driven by the human polypeptide chain elongation factor 1 α promoter for creation of stable mammalian cell lines that express very high levels of recombinant proteins. <i>Biochem. Biophys. Res. Commun.</i> 252:368-372 (1998) |
| | A133 | Hogenboom <i>et al.</i> Accurate Mass Determinations for the Confirmation and Identification of Organic Microcontaminants in Surface Water Using On-line Solid-phase Extraction Liquid Chromatography Electrospray Orthogonal-Acceleration Time-of-Flight Mass Spectrometry, <i>Rapid Comm. in Mass Spectrom.</i> , 13:125-133 (1999). |
| | *A134 | Hoheisel. Sequence-independent and linear variation of oligonucleotide DNA binding stabilities. <i>Nucl. Acid. Res.</i> 24(3):430-432 (1996) |
| | *A135 | Hong <i>et al.</i> Development of two bacterial artificial chromosome shuttle vectors for a recombination-based cloning and regulated expression of large genes in mammalian cells. <i>Anal. Biochem.</i> 291:142-148 (2001) |
| | *A136 | Hope <i>et al.</i> Production of large unilamellar vesicles by a rapid extrusion procedure. Characterization of size distribution, trapped volume and ability to maintain a membrane potential. <i>Biochimica et Biophysica Acta.</i> 812:55-65 (1985) |
| | *A137 | Horn <i>et al.</i> An improved divergent synthesis of comb-type branched oligodeoxyribonucleotides (bDNA) containing multiple secondary sequences. <i>Nucl. Acids Res.</i> 23(25):4835-4841 (1997) |
| | *A138 | Hou <i>et al.</i> Regulation of alternative pre-mRNA splicing during erythroid differentiation. <i>Curr. Opin. Hematol.</i> 8(2):74-79 (2001) (Abstract) |
| | A139 | Hsu <i>et al.</i> Formation of Lithiated Adducts of Glycerophosphocholine Lipids Facilitates their Identification by Electrospray Ionization Tandem Mass Spectrometry, <i>J. Am. Soc. Mass Spectrom.</i> 9:516-526 (1998) |
| | *A140 | Jamieson <i>et al.</i> In vitro selection of zinc fingers with altered DNA -binding specificity. <i>Biochemistry</i> 33(19):5689-5895 (1994) |
| | A141 | Jie <i>et al.</i> Atmospheric Pressure Chemical Ionisation Normal Phase Liquid Chromatography mass Spectrometry and Tandem Mass Spectrometry of Chlorophyll α Allomers, <i>Rapid Comm. Mass Spectrom.</i> , 16:473-479 (2002). |
| | *A142 | Johnstone <i>et al.</i> Immunochemistry In Practice (Blackwell Scientific Publications, Oxford, England, pp. 30-85 (1987) |
|  | A143 | Kayganich-Harrison and Murphy, "Characterization of Chain-Shortened Oxidized Glycerophosphocholine Lipids Using Fast Atom Bombardment and Tandem Mass Spectrometry, <i>Analytical Biochem.</i> 221:16-24 (1994) |

| | | |
|---|-------|---|
|  | A144 | Keough <i>et al.</i> Orthogonal Acceleration Single-Pass time-of-Flight Mass Spectrometry for Determination of the Exact Masses of Product Ions Formed in Tandem Mass Spectrometry Experiments, <i>Rapid Comm. in Mass Spectrom.</i> , 11:1702-1708 (1997). |
| | *A145 | Kershnar <i>et al.</i> Immunoaffinity purification and functional characterization of human transcription factor IIH and RNA polymerase II from clonal cell lines that conditionally express epitope-tagged subunits of the multiprotein complexes. <i>J. Biol. Chem.</i> 273:34444-34453 (1998) |
| | *A146 | Khrapko <i>et al.</i> Hybridization of DNA with oligonucleotides immobilized in gel: a convenient method for recording single base replacements. <i>Mol. Biol. (Mosk)</i> 25(3):718-730 (1991) |
| | *A147 | Kikumori <i>et al.</i> Promiscuity of pre-mRNA spliceosome-mediated <i>trans</i> splicing: a problem for gene therapy? <i>Hum. Gene. Ther.</i> 12:1429-1441 (2001) |
| | *A148 | Kirshenbaum <i>et al.</i> Highly Efficient Gene Transfer into Adult Ventricular Myocytes by Recombinant Adenovirus. <i>J. Clin. Invest.</i> 92:381-387 (1993) |
| | *A149 | Kornberg <i>et al.</i> Inside-outside transitions of phospholipids in vesicle membranes. <i>Biochemistry</i> 10(7):1111-1120 (1971) |
| | *A150 | Kornberg <i>et al.</i> Lateral diffusion of phospholipids in a vesicle membrane. <i>Proc. Natl. Acad. Sci. USA</i> 68(10):2564-2568 (1971) |
| | *A151 | Kremer <i>et al.</i> Green fluorescent protein as a new expression marker in mycobacteria. <i>Mol. Microbiol.</i> 17(5):913-922 (1995) |
| | *A152 | Krull <i>et al.</i> Labeling reactions applicable to chromatography and electrophoresis of minute amounts of proteins. <i>J. Chromatogr. B. Biomed. Sci. Appl.</i> 699:173-208 (1997) |
| | *A153 | Krull <i>et al.</i> Specific applications of capillary electrochromatography to biopolymers, including proteins, nucleic acids, peptide mapping, antibodies, and so forth. <i>J. Chromatogr. A.</i> 887:137-163 (2000) |
| | *A154 | Krutchinsky <i>et al.</i> Rapid, Automatic Identification of proteins utilizing a novel MALDI-Ion Trap mass Spectrometer, <i>Abstract of the 49th ASMS Conference on Mass Spectrometry and Allied Topics</i> (May 27-31, 2001) |
| | *A155 | Krutchinsky <i>et al.</i> Rapidly Switchable Matrix-Assisted Laser Desorption/Ionization and Electrospray Quadrupole-Time-of-Flight Mass Spectrometry for Protein Identification. <i>J. AM. Soc. Mass Spectrom.</i> 11(6):493-504 (2000) |
| | *A156 | Kunkel <i>et al.</i> Inducible isopentenyl tranferase as a high-efficiency marker for plant transformation. <i>Nat. Biotech.</i> 17:916-919 (1999) |
| | *A157 | La Salle <i>et al.</i> An Adenovirus Vector for Gene Transfer into Neurons and Glia in the Brain. <i>Science</i> 259:988-990 (1993) |
| | A158 | Lai <i>et al.</i> Analysis of a Commercial Preparation of Erythromycin Estolates by Tandem Mass Spectrometry and High Performance Liquid Chromatography/Electrospray Ionization Tandem Mass Spectrometry Using an Ion Trap mass Spectrometer, <i>Rapid Comm. in Mass Spectrom.</i> , 14:458-475 (2000). |
| | *A159 | Laimins <i>et al.</i> Osmotic control of kdp operon expression in Escherichia coli. <i>Proc. Natl. Acad. Sci. USA</i> 78:464-468 (1981) |
| | *A160 | Landergren. Molecular Mechanics of Nucleic Acids Sequence Amplification. <i>Trends Genet.</i> 9(6):199-202 (1993) |
| | A161 | Leverly <i>et al.</i> Comparative Analysis of Ceramide Structural Modification Found in Fungal Cerebrosides by Electrospray Tandem Mass Spectrometry with Low Energy Collision-Induced Dissociation of Li ⁺ Adduct Ions, <i>Rapid Comm. in Mass Spectrom.</i> 14:551-563 (2000). |
| | *A162 | Lipshutz <i>et al.</i> High density synthetic olinucleotide arrays. <i>Nat. Genetic.</i> 21(1 Suppl):20-24 (1999) |
| | *A163 | Loboda <i>et al.</i> Atandemquadrupole/time-of-flight mass spectrometer (QqTOF) with a MALDI source: design and performance. <i>Rapid Comm. Mass Spectrom.</i> 14(12)1047-1057 (2000) |
| | *A164 | Lusky <i>et al.</i> Bovine Papilloma Virus Contains an Activator of Gene Expression at the Distal End of the Early Transcription Unit. <i>Mol. Cell. Biol.</i> 3(6):1108-1122 (1983) |
| | *A165 | MacDonald <i>et al.</i> Small-volume extrusion apparatus for preparation of large, unilamellar vesicles. <i>Biochimica et Biophysica Acta</i> 1061:297-303 (1991) |
|  | *A166 | Maier <i>et al.</i> Application of robotic technology to automated sequence fingerprint analysis by oligonucleotide hybridisation. <i>J. Biotechnol.</i> 35(2-3):191-203 (1994) |

| | |
|-------|--|
| *A167 | Maiolini <i>et al.</i> A sandwich method for enzyme immunoassay. I. Application to rat and human alpha-fetoprotein. <i>J. Immuno. Meth.</i> 8:223-234 (1975) |
| *A168 | Malik <i>et al.</i> Effects of a second intron on recombinant MFG retroviral vector. <i>Arch. Virol.</i> 146:601-609 (2001) |
| *A169 | Mankertz <i>et al.</i> Expression from the human occludin promoter is affected by tumor necrosis factor α and interferon γ . <i>J. Cell. Sci.</i> 113:2085-2090 (2000) |
| *A170 | March <i>et al.</i> A simplified method for cyanogen bromide activation of agarose for affinity chromatography. <i>Anal. Biochem.</i> 60:149-152 (1974) |
| *A171 | Marriot <i>et al.</i> Synthesis and applications of heterobifunctional photocleavable cross-linking reagents. <i>Meth. Enzymol.</i> 291:155-175 (1998) |
| *A172 | Massie <i>et al.</i> Construction of a Helper-Free Recombinant Adenovirus That Expresses Polyomavirus Large T Antigen. <i>Mol. Cell. Biol.</i> 6(8):2872-2883 (1986) |
| *A173 | Matsumoto <i>et al.</i> Suppression of STAT5 functions in liver, mammary glands, and T cells in cytokine-inducible SH2-containing protein 1 transgenic mice. <i>Mol. Cell. Biol.</i> 19(9):6396-6407 (1999) |
| *A174 | Metzger <i>et al.</i> , "Electrospray Mass Spectrometry and Tandem Mass Spectrometry of Synthetic Multicomponent Peptide Mixtures: Determination of Composition and Purity," <i>Analytical Biochemistry</i> , Vol. 219, 219-277 (1994) |
| *A175 | Morsy <i>et al.</i> Efficient Adenoviral-mediated Ornithine Transcarbamylase Expression in Deficient Mouse and Human Hepatocytes. <i>J. Clin. Invest.</i> 92:1580-1586 (1993) |
| *A176 | Moullier <i>et al.</i> Correction of lysosomal storage in the liver and spleen of MPS VII mice by implantation of genetically modified skin fibroblasts. <i>Nat. Genet.</i> 4:154-159 (1993) |
| *A177 | Mulligan <i>et al.</i> Expression of a Bacterial Gene in Mammalian Cells. <i>Science</i> 209:1422-1427 (1980) |
| *A178 | Mulligan. The Basic Science of Gene Therapy. <i>Science</i> 260:926-932 (1993) |
| A179 | Nakamura <i>et al.</i> Analysis of Epoxyeicosatrienoic and Monohydroxyeicosatetraenoic Acids Esterified to Phospholipids in Human Red Blood Cells by Electrospray Tandem Mass Spectrometry. <i>J. of Mass Spectrom.</i> , 32:888-896 (1997). |
| A180 | Nakamura <i>et al.</i> Occurrence of Oxidized Metabolites of Arachidonic Acid Esterified to Phospholipids in Murine Lung Tissue. <i>Analytical Biochem.</i> , 262:23-32 (1998). |
| *A181 | Nardelli <i>et al.</i> Zinc finger-DNA recognition: analysis of base specificity by site-directed mutagenesis. <i>Nucl. Acids Res.</i> 20(16):4137-4144 (1992) |
| *A182 | Nawrocki <i>et al.</i> , "Analysis of Combinatorial Libraries Using Electrospray Fourier Transform Ion Cyclotron Resonance Mass Spectrometry," <i>Rapid Communications in Mass Spectrometry</i> , Vol. 10, 1860-1864 (1996) |
| A183 | Nemeth-Cawley, <i>et al.</i> Analysis of Sulfated Peptides Using Positive Electrospray Ionization Tandem Mass Spectrometry. <i>J. Mass Spectrom.</i> , 36:1301-1311 (2001). |
| *A184 | Nguyen <i>et al.</i> Modification of DNA duplexed to smooth their thermal stability independently of their base content for DNA sequencing by hybridization. <i>Nucl. Acid. Res.</i> 25(15):3059-3065 (1997) |
| *A185 | Nguyen <i>et al.</i> Smoothing of the thermal stability of DNA duplexes by using modified nucleosides and chaotropic agents. <i>Nucl. Acids Res.</i> 27(6):1492-1498 (1999) |
| *A186 | Niemeyer <i>et al.</i> Oligonucleotide-directed self-assembly of proteins: semisynthetic DNA-streptavidin hybrid molecules as connectors for the generation of macroscopic arrays and the construction of supramolecular bioconjugates. <i>Nucl. Acids. Res.</i> 22(25):5530-5539 (1994) |
| *A187 | Nikolaiev <i>et al.</i> "Peptide-Encoding for Structure Determination of Nonsequenceable Polymers within Libraries Synthesized and Tested on Solid-Phase Supports," <i>Peptide Research</i> , Vol. 6, No. 3, 161-170 (1993) |
| *A188 | Nizecic <i>et al.</i> Construction, arraying, and high-density screening of large insert libraries of human chromosomes X and 21: their potential use as reference libraries. <i>Proc. Natl. Sci. USA</i> 88:3233-3237 (1991) |
| *A189 | Oda <i>et al.</i> Accurate quantitation of protein expression and site-specific phosphorylation. <i>Proc. Natl. Acad. Sci. USA</i> 96:6591-6596 (1999) |

| | |
|-------|--|
| *A190 | Oda <i>et al.</i> . Enrichment analysis of phosphorylated proteins as a tool for probing the phosphoproteome. <i>Nat. Biotech.</i> 19:379-382 (2001) |
| *A191 | Oikawa <i>et al.</i> Metalloselenonein, the selenium analogue of metallothionein: synthesis and characterization of its complex with copper ions. <i>Proc. Natl. Acad. Sci. USA</i> 88:3057-3059 (1991) |
| *A192 | Olejnik <i>et al.</i> Photocleavable biotin phosphoramidite for 5' -end-labelling, affinity purification and phosphorylation of synthetic oligonucleotides <i>Nucleic Acids Research, Oxford University Press, Surrey, GB</i> 24(2):361-366 (1996), XP002084583 |
| *A193 | Olejnik <i>et al.</i> Photocleavable peptide-DNA conjugates: synthesis and applications to DNA analysis using MALDI-MS. <i>Nucl. Acids Res.</i> 27(23):4626-4631 (1999) |
| *A194 | Orentas <i>et al.</i> Detection of Epstein-Barr virus EBER sequence in post-transplant lymphoma patients with DNA dendrimers. <i>J. Virol. Meth.</i> 77:153-163 (1999) |
| *A195 | Osborne <i>et al.</i> . Transcription Control Region Within the Protein-Coding Portion of Adenovirus E1A Genes. <i>Mol. Cell Biol.</i> 4(7):1293-1305 (1984) |
| A196 | Palmer, <i>et al.</i> Separation of Nicotine Metabolites by Capillary Zone Electrophoresis and Capillary Zone Electrophoresis/Mass Spectrometry, <i>Rapid Comm. Mass Spectrom.</i> 15:224-231 (2001). |
| *A197 | Patterson <i>et al.</i> Quantitative imaging of TATA-binding protein in living yeast cells. <i>Yeast</i> 14:813-825 (1998) |
| *A198 | Patton. Making Blind Robots See: The Synergy Between Fluorescent Dyes and Imaging Devices in Automated Proteomics. <i>Biotech.</i> 28(5):944-957 (2000) |
| *A199 | Payraastre <i>et al.</i> Phosphoinositides: key players in cell signalling, in time and space. <i>Cell Signal</i> 13:377-387 (2001) |
| *A200 | Pease <i>et al.</i> Light-generated oligonucleotide arrays for rapid DNA sequence analysis. <i>Proc. Natl. Acad. Sci USA</i> 91:5022-5026 (1994) |
| *A201 | Qin <i>et al.</i> . Identification and characterization of posttranslational modifications of proteins by MALDI ion trap mass spectrometry. <i>Anal. Chem.</i> 69:4002-4009 (1997) |
| *A202 | Ragot <i>et al.</i> Replication-defective recombinant adenovirus expressing the Epstein-Barr virus (EBV) envelope glycoprotein gp340/220 induces protective immunity against EBV-induced lymphomas in the cottontop tamarin. <i>J. Gen. Virol.</i> 74:501-507 (1993) |
| *A203 | Ram <i>et al.</i> <i>In Situ</i> Retroviral-mediated Gene Transfer for the Treatment of Brain Tumors in Rats. <i>Cancer Res.</i> 53:83-88 (1993) |
| *A204 | Ramsay. DNA chips: State-of-the art. <i>Nat. Biotechnol.</i> 16(1):40-44 (1998) |
| *A205 | Reilander <i>et al.</i> Functional expression of the <i>Aequorea victoria</i> green fluorescent protein in insect cells using the baculovirus expression system. <i>Biochem. Biophys. Res. Commun.</i> 219:14-20 (1996) |
| *A206 | Rich <i>et al.</i> Development and Analysis of Recombinant Adenoviruses for Gene Therapy of Cystic Fibrosis. <i>Hum. Gene Ther.</i> 4:461-476 (1993) |
| *A207 | Roessler <i>et al.</i> Adenoviral-mediated Gene Transfer to Rabbit Synovium In Vivo. <i>J. Clin. Invest.</i> 92:1085-1092 (1993) |
| *A208 | Rong <i>et al.</i> A Targeted Gene Knockout in <i>Drosophila</i> . <i>Genetics</i> 157:1307-1312 (2001) |
| A209 | Rosell-Melé, <i>et al.</i> , Liquid Chromatography/Tandem Mass Spectrometry of Free Base Alkyl Porphyrins for the Characterization of the Macrocyclic Substituents in Components of Complex Mixtures, <i>Rapid Comm. in Mass Spectrom.</i> , 13:568-573 (1999). |
| A210 | Roussis, Automated Tandem Mass Spectrometry by Orthogonal Acceleration TOF Data Acquisition and Simultaneous Magnet Scanning for the Characterization of Petroleum Mixtures, <i>Anal. Chem.</i> , 73:3611-3623 (2001). |
| *A211 | Sano <i>et al.</i> Immuno-PCR: Very Sensitive Antigen Detection by Means of Specific Antibody-DNA Conjugates. <i>Science</i> 258:120-122 (1992) |
| *A212 | Santa Lucia <i>et al.</i> Improved Nearest-Neighbor Parameters for Predicting DNA Duplex Stability. <i>Biochemisrty.</i> 35:3555-3562 (1996) |
| *A213 | Sawin <i>et al.</i> Identification of fission yeast nuclear markers using random polypeptide fusion with green fluorescent protein. <i>Proc. Natl. Acad. Sci. USA</i> 94:15146-15151 (1996) |

| | | |
|---|-------|--|
|  | *A214 | Scheffold <i>et al.</i> High-sensitivity immunofluorescence for detection of the pro- and anti-inflammatory cytokines gamma interferon and interleukin-10 on the surface of cytokine-secreting cells. <i>Nat. Med.</i> 6(1):107-110 (2000) |
| | *A215 | Schena <i>et al.</i> Parallel human genome analysis: microarray-based expression monitoring of 1000 genes. <i>Proc. Natl. Acad. Sci. USA</i> 93:10614-10619 (1996) |
| | *A216 | Seth <i>et al.</i> Evidence that the Penton Base of Adenovirus Is Involved in Potentiation of Toxicity of <i>Pseudomonas</i> Exotoxin Conjugated to Epidermal Growth Factor. <i>Mol. Cell. Biol.</i> 4(8):1528-1533 (1984) |
| | *A217 | Seth <i>et al.</i> Role of a Low-pH Environment in Adenovirus Enhancement of the Toxicity of a <i>Pseudomonas</i> Exotoxin-Epidermal Growth Factor Conjugate. <i>J. Virol.</i> 51(3):650-655 (1984) |
| | A218 | Seymour and Turecek, Distinction and Quantitation of Leucine-Isoleucine Isomers and Lysine-Glutamine Isobars by Electrospray Ionization Tandem Mass Spectrometry (MS ⁿ , n = 2, 3) of copper(II)-Diimine Complexes, <i>J. Mass Spectrom.</i> 35:566-571 (2000). |
| | *A219 | Shalon <i>et al.</i> A DNA microarray system for analyzing complex DNA samples using two-color fluorescent probe hybridization. <i>Genome. Res.</i> 6:639-645 (1996) |
| | *A220 | Shchepinov <i>et al.</i> Oligonucleotide dendrimers: synthesis and use as polylabeled DNA probes. <i>Nucl. Acids Res.</i> 25(22):4447-4454 (1997) |
| | *A221 | Shevchenko <i>et al.</i> MALDI Quadrupole Time-of-Flight Mass Spectrometry: A Powerful Tool for Proteomic Research. <i>Anal. Chem.</i> 72:2132-2142 (2000) |
| | *A222 | Shevchenko <i>et al.</i> Rapid 'de novo' peptide sequencing by a combination of nanoelectrospray, isotopic labeling and a quadrupole/time-of-flight mass spectrometer. <i>Rapid Commun. Mass Spectrom.</i> 11(9):1015-1024 (1997) |
| | *A223 | Singh-Gasson <i>et al.</i> Maskless fabrication of light-directed oligonucleotide microarrays using a micromirror array. <i>Nat. Biotechnol.</i> 17:974-978 (1999) |
| | *A224 | Smith <i>et al.</i> A detailed study of the substrate specificity of a chimeric restriction enzyme. <i>Nucl. Acids Res.</i> 27(2):674-681 (1999) |
| | *A225 | Smith <i>et al.</i> Identification of Hydrogen Peroxide Oxidation Sites of α A- and α B-Crystallins. <i>Free Rad. Res.</i> 26:103-111 (1997) |
| | *A226 | Southern <i>et al.</i> Analyzing and comparing nucleic acid sequences by hybridization to arrays of oligonucleotides: evaluation using experimental models. <i>Genomics</i> 13:1008-1017 (1992) |
| | *A227 | Southern <i>et al.</i> Transformation of Mammalian Cells to Antibiotic Resistance with a Bacterial Gene Under Control of the SV40 Early Region Promoter. <i>Molec. Appl. Genet.</i> 1:327 (1982) |
| | *A228 | Stimpson <i>et al.</i> Real-Time Detection of DNA Hybridization and Melting on Oligonucleotide Arrays by using Optical Wave Guides. <i>Proc. Natl. Acad. Sci. USA</i> 92:6379-6383 (1995) |
| | *A229 | Sudgen <i>et al.</i> A Vector That Replicates as a Plasmid and Can Be Efficiently Selected in B-Lymphoblasts Transformed by Epstein-Barr Virus. <i>Mol. Cell. Biol.</i> 5(2):410-413 (1985) |
| | *A230 | Svensson. Role of Vesicles During Adenovirus 2 Internalization into HeLa Cells. <i>J. Virol.</i> 55(2):442-449 (1985) |
| | *A231 | Syvanen <i>et al.</i> Fast Qualification of nucleic acid hybrids by affinity-based hybrid collection. <i>Nucl. Acids Res.</i> 14(12):5037-5049 (1986) |
| | A231 | Taylor and Johnson, Implementation and Uses of Automated de Novo Peptide Sequencing by Tandem Mass Spectrometry, <i>Anal. Chem.</i> , 73:2594-2604 (2001). |
| | *A232 | Templeton <i>et al.</i> Efficient gene targeting in mouse embryonic stem cells. <i>Gene Ther.</i> 4(7):700-709 (1997) (Abstract) |
| | *A233 | Thompson <i>et al.</i> Tandem Mass Tags: A Novel Quantification Strategy for Comparative Analysis of Complex Protein Mixtures by MS/MS. <i>Anal. Chem.</i> 75: 1895-1904 (2003). |
| | A234 | Tuominen <i>et al.</i> Separation of Cyclosporins by High-Performance Liquid Chromatography and Mass Spectrometric Study of Cyclosporin Metabolites, <i>Rapid Comm. in Mass Spectrom.</i> , 12:1085-1091 (1998). |
| | *A235 | Uetz <i>et al.</i> A comprehensive analysis of protein-protein interactions in <i>Saccharomyces cerevisiae</i> . <i>Nature</i> 403:623-627 (2000) |
| | *A236 | Urdea. Branched DNA Signal Amplification. <i>Biotechnology</i> 12:926-928 (1994) |
|  | *A237 | Uto <i>et al.</i> Determination of urinary Tamm-Horsfall protein by ELISA using a maleimide method for enzyme-antibody conjugation. <i>J. Immunol. Meth.</i> 138:87-94 (1991) |

| | | |
|---|-------|---|
| <input checked="" type="checkbox"/> | *A238 | Van Criekeing <i>et al.</i> . Yeast two-hybrid: state of the art. <i>Biol. Proc. Online</i> 2(1) (1999) |
| <input checked="" type="checkbox"/> | *A239 | Van Oss <i>et al.</i> Mechanism of DNA (Southern) and protein (Western) blotting on cellulose nitrate and other membranes. <i>J. Chromatogr.</i> 391:53-65 (1987) |
| <input checked="" type="checkbox"/> | *A240 | Varga <i>et al.</i> . Infectious Entry Pathway of Adenovirus Type 2. <i>J. Virol.</i> 65(11):6061-6070 (1991) |
| <input checked="" type="checkbox"/> | *A241 | Vasiliskov <i>et al.</i> Fabrication of microarray of gel-immobilized compounds on a chip by copolymerization. <i>Biotechniques</i> 27(3):592-594,596-598, 600 (1999) |
| <input checked="" type="checkbox"/> | *A242 | Vergunst <i>et al.</i> Site-specific integration of <i>Agrobacterium</i> T-DNA in <i>Arabidopsis thaliana</i> mediated by Cre recombinase. <i>Nucl. Acids. Res.</i> 26(11):2729-2734 (1998) |
| <input checked="" type="checkbox"/> | *A243 | Virts <i>et al.</i> The role of intron sequences in high level expression from CD45 cDNA constructs. <i>J. Biol. Chem.</i> 276(23):19913-19920 (2001) |
| <input checked="" type="checkbox"/> | A244 | Viseux <i>et al.</i> Structural Assignment of Permethylated Oligosaccharide Subunits Using Sequential Tandem Mass Spectrometry, <i>Anal. Chem.</i> 70:4951-4959 (1998). |
| <input checked="" type="checkbox"/> | A245 | Weiskopf <i>et al.</i> Characterization of Oligosaccharide Composition and Structure by Quadrupole Ion Trap Mass Spectrometry, <i>Rapid Comm. in Mass Spectrom.</i> 11:1493-1504 (1997). |
| <input checked="" type="checkbox"/> | *A246 | Wemmer <i>et al.</i> Targeting the minor groove of DNA.. <i>Curr Opin. Struct Biol.</i> 7:355-361 (1997) |
| <input checked="" type="checkbox"/> | *A247 | Wentworth, Jr. and Janda, "Generating and Analyzing Combinatorial Chemistry Libraries," <i>Analytical Biotechnology</i> , 109-115 |
| <input checked="" type="checkbox"/> | *A248 | White <i>et al.</i> Real-time analysis of the transcriptional regulation of HIV and hCMV promoters in single mammalian cells. <i>J. Cell. Sci.</i> 108:441-455 (1995) |
| <input checked="" type="checkbox"/> | *A249 | Wickham <i>et al.</i> Integrins $\alpha_3\beta_3$ and $\alpha_v\beta_5$ Promote Adenovirus Internalization but Not Virus Attachment. <i>Cell</i> 73:309-319 (1993) |
| <input checked="" type="checkbox"/> | *A250 | Wilkinson. Cell-Free And Happy: In Vitro Translation And Transcription/Translation Systems. <i>The Scientist</i> 13(3):15 (June 1999) |
| <input checked="" type="checkbox"/> | A251 | Williams <i>et al.</i> Ratiometric Analysis of the Ferrocene Boronate Esters of 2- and 4-Hydroxyestradiol by Tandem Electrospray Mass Spectrometry, <i>Rapid Comm. Mass Spectrom.</i> 15:182-186 (2001). |
| <input checked="" type="checkbox"/> | *A252 | Winger and Campana, "Characterization of Combinatorial Peptide Libraries by Electrospray Ionization Fourier Transform Mass Spectrometry," <i>Rapid Communications in Mass Spectrometry</i> , Vol. 10, 1811-1813 (1996) |
| <input checked="" type="checkbox"/> | *A253 | Wolff <i>et al.</i> Direct Gene Transfer into Mouse Muscle in Vivo. <i>Science</i> 247:1465-1468 (1990) |
| <input checked="" type="checkbox"/> | *A254 | Wolff <i>et al.</i> Human dystrophin expression in mdx mice after intramuscular injection of DNA constructs. <i>Nature</i> 352:815-818 (1991) |
| <input checked="" type="checkbox"/> | *A255 | Wood <i>et al.</i> Base composition-independent hybridization in tetramethylammonium chloride: A method for oligonucleotide screening of highly complex gene libraries. <i>Proc. Natl. Acad. Sci. USA</i> 82:1585-1588 (1985) |
| <input checked="" type="checkbox"/> | *A256 | Wu <i>et al.</i> Establishment of stable cell lines expressing potentially toxic proteins by tetracycline-regulated and epitope-tagging methods. <i>Biotechniques</i> 21(4):718-725 (1996) |
| <input checked="" type="checkbox"/> | *A257 | Yershov <i>et al.</i> DNA analysis and diagnostics on oligonucleotide microchips. <i>Proc. Natl. Acad. Sci. USA</i> 93:4913-4918 (1996) |
| <input checked="" type="checkbox"/> | *A258 | Zabner <i>et al.</i> Adenovirus-Mediated Gene Transfer Transiently Corrects the Chloride Transport Defect in Nasal Epithelia of Patients with Cystic Fibrosis. <i>Cell</i> 75:207-216 (1993) |
| <input checked="" type="checkbox"/> | *A259 | Zhang <i>et al.</i> Generation and identification of recombinant adenovirus by liposome-mediated transfection and PCR analysis. <i>BioTechniques</i> 15(5):868-872 (1993) |
| <input checked="" type="checkbox"/> | *A260 | Zhou <i>et al.</i> A systematic approach to the problem of protein phosphorylation. <i>Nat. Biotech.</i> 19:375-378 (2001) |
| <input checked="" type="checkbox"/> | *A261 | Zschocke <i>et al.</i> Molecular and functional characterization of mild MCAD deficiency. <i>Hum. Genet.</i> 108:404-408 (2001) |
| Examiner Signature: <u>[Signature]</u> Date Considered: <u>10/10/07</u> EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | |